

From: Richard Rupert/R3/USEPA/US
Sent: 1/26/2012 5:42:35 PM

To: john.smelko@cabotog.com
CC: andy.mehalko@cabotog.com; DEagan@moody-s.com; Richard Fetzer/R3/USEPA/US@EPA
Subject: RE: Dimock Investigation -- Follow-up from Kick-off Meeting Yesterday

John, sorry for the delay. I understand that your most urgent need at this point are detection limits. Please find the attached spreadsheet that details the method detection limits. (disregard the surface water reference)

The decon plan is moot at this point since we are using only dedicated equipment.

The SAP that you have in your procession is current with the exception of the addition of glycol analysis.

Once we get it updated I will get you the most current version. I will get you the other document as soon as I can track them down.

Thanks for you patience.

Rich

Richard Rupert
On-Scene Coordinator
U.S.EPA
1650 Arch Street - 3HS31
Philadelphia, PA 19103
(215) 814-3463 - office
215 514 8773 - MOBILE
rupert.richard@epa.gov

From: John Smelko <john.smelko@cabotog.com>
To: Richard Rupert/R3/USEPA/US
Cc: Richard Fetzer/R3/USEPA/US@EPA, Andy Mehalko <andy.mehalko@cabotog.com>, Denis Eagan <DEagan@moody-s.com>
Date: 01/26/2012 02:18 PM
Subject: RE: Dimock Investigation -- Follow-up from Kick-off Meeting Yesterday

Rupert,

Just checking in -- can you please forward the items I requested in my e-mail below?

Hope things are going well in the field.

Thanks in advance,
John

John Smelko
North Region Manager, Environmental and Regulatory Compliance

Cabot Oil & Gas Corporation
Five Penn Center West, Suite 401
Pittsburgh, PA 15276
412-249-3854 (Office)
412-613-7642 (Cell)
John.Smelko@cabotog.com

From: Richard Rupert [mailto:Rupert.Richard@epamail.epa.gov]
Sent: Tuesday, January 24, 2012 6:54 PM
To: John Smelko
Cc: Richard Fetzer; Andy Mehalko; Denis Eagan
Subject: Re: Dimock Investigation -- Follow-up from Kick-off Meeting Yesterday

To answer the easiest question now, we anticipate no surface water sampling.

I will try work at getting you the rest of your request tomorrow.

Regards,
Rupert

Richard Rupert
On-Scene Coordinator
Region III U.S.Environmental Protection Agency
1650 Arch Street, 3HS31
Philadelphia, PA 19103-2029
(215) 814-3463 FAX (215) 814-3254
e-mail rupert.richard@epa.gov

From: John Smelko [john.smelko@cabotog.com]
Sent: 01/24/2012 11:50 PM GMT
To: Richard Rupert
Cc: Richard Fetzer; Andy Mehalko <andy.mehalko@cabotog.com>; Denis Eagan <DEagan@moody-s.com>
Subject: Dimock Investigation -- Follow-up from Kick-off Meeting Yesterday

Rupert,

As a follow-up from our discussion yesterday at the Command Center, please send us a copy of the following:

- Revised Field Sampling Plan/Work Plan
- Program QAPP
- Environmental Response Team SOP No. 2007 (ERT, 1995) for Residential Well Sampling
- Decon Procedure
- Analytical Methods per Analyte and Respective Method Detection Limits

Also, just to confirm, you indicated yesterday that no surface water samples would be collected. Is that still the case?

Thanks in advance.
John

John Smelko
North Region Manager, Environmental and Regulatory Compliance

Cabot Oil & Gas Corporation
Five Penn Center West, Suite 401
Pittsburgh, PA 15276
412-249-3854 (Office)
412-613-7642 (Cell)
John.Smelko@cabotog.com